

Handy Reference Tables

Weight of reinforcement bar

	pounds per linear foot	diameter inches	cross section area square inches
#3	0.376	0.375	0.11
#4	0.668	0.500	0.20
#5	1.043	0.625	0.31
#6	1.502	0.750	0.44
#7	2.044	0.875	0.60
#8	2.670	1.00	0.79

1 cubic yard of concrete places:

depth	ft ²
2"	162
4"	81
6"	54
8"	40
10"	32.5
12"	27

Water

1 cu. ft.	7.48 gals.
1 cu. ft.	62.3 lbs.
1 gal	8.33 lbs.
1 gal	231 in ³
1 gal	0.1337 ft ³



Its greatest density is at 39.1° F
weighing 62.4 pounds / ft³

Circle Measure

$$\pi = 3.1416$$

circumference = diameter x π
area = π x radius²

Geometric Measure



Materials Average Weight

Concrete	150 lbs./ft ³
Steel	490 lbs./ft ³
Sand (dry)	98 lbs./ft ³
Sand (wet)	124 lbs./ft ³
Gravel	120 lbs./ft ³
Cast Iron	446 lbs./ft ³
Wood (fir)	32 lbs./ft ³
Wood (oak)	40 lbs./ft ³

Data for Pipe Volumes

Nominal Pipe Size Inches	Gallons per Ft. of Pipe Length	Feet of Pipe Holding One Gallon
1/2	0.016	63.35
3/4	0.028	36.03
1	0.045	22.79
1-1/4	0.078	12.85
1-1/2	0.106	9.45
2	0.174	5.74
2-1/2	0.249	4.02
3	0.384	2.61
4	0.661	1.51
6	1.501	0.67
8	2.599	0.39

Technical Data Disclaimer

Specifications, descriptions and illustrations contained in this catalog were as accurate as known at the time of printing. However, no responsibility is assumed for any loss incurred, including consequential, incidental and contingent damages, as a result of errors or omissions. There are no warranties, expressed or implied, of the merchantability, fitness or suitability of products contained in this catalog for a particular application. Front Range Precast Concrete reserves the right to discontinue models at any time, or change specifications or designs without notice or obligation.